

WATER STORAGE SOLUTIONS



SINTEX-BAPL LIMITED

Ground Floor, Kalasagar Mall, Opp. Saibaba Temple,
Sattadhar, Ahmedabad - 380061, Gujarat, India.
Ph.: +91-79 27403500 | Toll-free no.: 1800 121 2764
Email: support@sintex.co.in | www.sintexplastics.com



WHATEVER YOUR NEED, SINTEX HAS A SOLUTION.

As the pioneers in water storage solutions, we at Sintex believe in thinking innovatively, to make life simple for you. This is what you experience with our comprehensive range of products, designed with your needs in mind. Crafted from 100% virgin, food grade material, our tanks maintain the highest standards of hygiene, and are built strong to last a long, long time.

**Read on, to know more about our
range of water storage solutions...**



SINTEX PURE


ANTIBACTERIAL INNOVATION WITH SILVER NANO TECHNOLOGY

Rest assured of Hygiene and Safety – this technology prevents growth of bacteria in the tank.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility.
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of store water.
- **Phthalate-Free Granules & Additives:** No cancer-causing materials are present.
- **100% UV Stabilised Tank and Multi-layered Lid:** Sun rays cannot reach the water; hence, no algae formation.
- **Multiple Layers:** Outer (White/Colour) for aesthetic looks, Middle (Black) for UV protection, and Inner (Blue/Grey) to see water level.
- **Roto Moulding Manufacturing Process:** Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank.
- **Aesthetic Looks**
- **Multi-ribbed Design:** Ensures long-lasting strength & durability.
- **Colour Options:** Available in White, Blue, Green and Yellow.

RANGE & SPECIFICATIONS				
Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Dia. (inches)
CCWS 0050-02-Pure	500	35.8	37.7	15.7
CCWS 0075-01-Pure	750	40.5	43.3	15.7
CCWS 0100-01-Pure	1000	43.3	48.2	15.7
CCWS 0150-01-Pure	1500	53.1	49.8	15.7
CCWS 0200-01-Pure	2000	53.1	62.9	15.7
CCWS 0300-01-Pure	3000	59.0	79.5	15.7
CCWS 0500-01-Pure	5000	78.7	76.3	20.1
CCWS 1000-03-Pure	10000	83.6	124.4	20.1



SINTEX ACE

FIRST TIME IN INDIA: INTERNATIONAL DESIGN WITH SIDE MANHOLE

Easy to clean, check the inside without having to climb on the tank.


UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Phthalate-Free Granules & Additives:** No cancer-causing materials are present
- **100% UV Stabilised Tank and Lid:** Sun rays cannot reach the water; hence, no algae formation
- **Threaded Lid:** Heavy winds, birds and animals cannot open the lid, thus maintaining safety & hygiene
- **Two Layers:** Outer (Black) for UV protection and Inner (Blue) to see water level easily
- **Roto Moulding Manufacturing Process:** Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- **Modern, World-class Looks**
- **Multi-ribbed Design:** Ensures long-lasting strength & durability



RANGE & SPECIFICATIONS

Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Dia. (inches)
CCWS-SMT-0050-01-DW	500	36.22	39.17	15.74
CCWS-SMT-0075-01-DW	750	40.55	44.49	15.74
CCWS-SMT-0100-01-DW	1000	43.3	51.57	15.74
CCWS-SMT-0200-01-DW	2000	53.15	66.33	15.74
CCWS-SMT-0500-01-DW	5000	78.74	77.95	15.74



SINTEX CLASSIC DOUBLE WALL (DW)

A RANGE OF SIZES FOR EVERY NEED

Tanks available up to 25,000 ltr capacity.


UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Phthalate-Free Granules & Additives:** No cancer-causing materials are present
- **100% UV Stabilised Tank and Lid:** Sun rays cannot reach the water; hence, no algae formation
- **Two Layers:** Outer (Black) for UV protection and Inner (Blue) to see water level easily
- **Roto Moulding Manufacturing Process:** Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- **Aesthetic Looks**
- **Multi-ribbed Design:** Ensures long-lasting strength & durability



RANGE & SPECIFICATIONS

Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Dia. (inches)
CCWS-50.01	500	40.5	29.1	15.7
CCWS-50.02	500	35.8	37.7	15.7
CCWS-70.01	700	40.5	42.5	15.7
CCWS-75.01	750	40.5	43.3	15.7
CCWS-100.01	1000	43.3	48.2	15.7
CCWS-150.01	1500	53.1	49.8	15.7
CCWS-175.01	1750	54.7	53.1	15.7
CCWS-200.01	2000	53.1	62.9	15.7
CCWS-200.02	2000	55.5	61.8	17.7
CCWS-250.01	2500	59.0	67.7	17.7
CCWS-300.01	3000	59.0	79.5	15.7
CCWS-500.01	5000	78.7	76.3	20.0
CCWS-500.02	5000	78.7	78.7	37.0
CCWS-750.01	7500	78.7	113.3	20.0
CCWS-1000.02	10000	100.3	97.6	20.0
CCWS-1000.03	10000	83.6	124.4	20.0
CCWS-1500.01	15000	100.3	139.8	20.0
CCWS-1500.02	15000	118.1	110.2	20.0
CCWS-2000.01	20000	100.3	181.1	20.0
CCWS-2000.02	20000	118.1	130.7	20.0
CCWS-2500.01	25000	118.1	159.4	20.0



SINTEX TITUS

FOR STYLE AND STRENGTH

Threaded Lid for safety, an additional Black Lid for UV protection.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Phthalate-Free Granules & Additives:** No cancer-causing materials are present
- **100% UV Stabilised Tank and Lid:** Sun rays cannot reach the water; hence, no algae formation
- **Threaded Lid:** Heavy winds, birds and animals cannot open the lid, thus maintaining safety & hygiene
- **Multiple Layers:** Outer (White/Colour) for aesthetic looks, Middle (Black) for UV protection, and Inner (Blue) to see water level easily
- **Stylish Looks**
- **Multi-ribbed Design:** Ensures long-lasting strength & durability
- **Colour Options:** Available in White, Blue, Green and Yellow



RANGE & SPECIFICATIONS				
Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Dia. (inches)
CCTS-0050-01	500	36.2	34.4	16.5
CCTS-0075-01	750	36.2	49.2	16.5
CCTS-0100-01	1000	43.3	48.0	16.5
CCTS-0150-01	1500	53.1	48.2	16.5
CCTS-0200-01	2000	53.1	63.0	16.5

100%
VIRGIN PLASTIC

TWO LIDS

NEW UV
THREADED LID TO
KEEP DUST
PARTICLES OUT

FOOD GRADE
PLASTIC

SINTEX RENO AND RENO G

STRONG AND SAFE

Computerised design for enhanced strength.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Phthalate-Free Granules & Additives:** No cancer-causing materials are present
- **100% UV Stabilised Tank and Lid:** Sun rays cannot reach the water; hence, no algae formation
- **Two Layers:** Outer (Black) for UV protection and Inner (Blue) to see water level easily
- **Roto Moulding Manufacturing Process:** Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- **Multi-ribbed Design:** Ensures long-lasting strength & durability

RANGE & SPECIFICATIONS				
Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Dia. (inches)
WSCC 50-01	500	35.4	34.8	15.7
WSCC 70-01	700	35.4	46.4	15.7
WSCC 100-01	1000	43.7	46.4	15.7
WSCC 150-01	1500	53.15	46.2	15.7
WSCC 200-01	2000	53.3	59.4	15.7
WSCC 250-01	2500	53.5	74.0	15.7
WSCC 300-01	3000	59.0	72.8	15.7
WSCC 500-01	5000	71.26	86.22	20.0
WSCC 1000-01	10000	83.6	123.0	20.0



100%
VIRGIN PLASTIC

FOOD GRADE
PLASTIC

100% UV
STABILISED

MULTI-
RIBBED

SINTEX NEO

GREAT PRICE, MULTIPLE ADVANTAGES

Our most economical white tank, with the same excellent hygiene features.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Phthalate-Free Granules & Additives:** No cancer-causing materials are present
- **100% UV Stabilised Tank and Lid:** Sun rays cannot reach the water; hence, no algae formation
- **Threaded Lid:** Heavy winds, birds and animals cannot open the lid, thus maintaining safety & hygiene
- **Two Layers:** Outer (White) for aesthetic looks and Inner (Grey) to see water level easily and provide UV protection
- **Aesthetic Looks**
- **Multi-ribbed Design:** Ensures long-lasting strength & durability



NEW UV
THREADED LID TO
KEEP DUST
PARTICLES OUT



VIRGIN
PLASTIC



FOOD GRADE
PLASTIC



STRONG &
UNBREAKABLE



EXTRA THICK
& FLEXIBLE
MATERIAL FOR
A LONG LIFE

RANGE & SPECIFICATIONS

Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Dia. (inches)
CCWS 0020-01-NEO	200	27.9	23.0	11.0
CCWS 0030-01-NEO	300	27.9	34.4	11.0
CCWS 0050-01-NEO	500	36.2	33.4	15.5
CCWS 0075-01-NEO	750	36.2	49.2	15.5
CCWS 0100-01-NEO	1000	44.2	45.2	15.5

SINTEX LOFT

THE GREAT SPACE SAVER

Compact design to fit in any available space.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Multi-purpose Usage:** Bathroom, Kitchen, etc.
- **Colour Options:** Available in Black and White



RANGE & SPECIFICATIONS


Code No.	Capacity (litres)	Length (inches)	Width (inches)	Height (inches)	Manhole Dia. (inches)
IWS 10.01	100	23.4	23.4	15.1	12.2
IWS 15.01	150	28.5	28.5	14.7	12.2
IWS 20.01	200	37.7	28.5	13.7	11.8
IWS 22.01	225	40.7	28.3	15.1	12.0
IWS 27.01	270	43.5	28.7	17.1	12.0
IWS 27.02	275	48.8	35.0	12.4	12.0
IWS 30.01	300	48.0	32.8	13.5	12.0
IWS 37.01	375	49.6	37.7	13.9	11.8
IWS 40.02*	400	61.2	39.3	13.5	11.8
IWS 42.01	425	49.4	37.7	15.7	11.8
IWS 47.02*	475	62.4	45.2	12.9	11.8
IWS 50.01	500	55.5	39.5	17.3	12.0
IWS 50.02**	500	58.0	31.0	16.0	12.0
IWS 62.01*	625	56.9	38.6	20.5	11.8
IWS 50.06**	500	51.57	36.02	19.29	11.81
IWS 82.01*	825	78.5	39.3	20.1	11.2
IWS 100.01*	1000	78.3	39.1	24.4	11.2



VIRGIN
PLASTIC



FOOD GRADE
PLASTIC



COMPACT
LOOK

SINTEX UNDERGROUND WATER TANKS - SUMPS

EASY TO TRANSPORT AND INSTALL

Strong, yet lightweight; can be relocated.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **One-piece Moulded:** No joints, seams or welds
- **Computerised Design**
- **Non-porous** and does not allow water to get contaminated
- **Rustproof and Leak-proof**
- **Hygienic and suitable for potable water**
- **Economical**
- **Impermeable to roots of trees**
- **Can be installed directly without a side wall**
- **Space Saver**
- **Can endure earth's pressure**
- **Maintenance-free**



RANGE & SPECIFICATIONS

Code No.	Capacity (litres)	Dia. (inches)	Height (inches)	Manhole Extension (inches)	Total Height (inches)	Manhole Dia. (inches)	Manhole Nos.
UGWT 100-01	1000	47.2	46.6	7.8	54.5	15.7	1
UGWT 200-01	2000	55.1	64.9	7.8	72.8	15.7	1
UGWT 300-01	3000	64.9	68.8	7.8	70.8	15.7	1
UGWT 400-01	4000	70.9	76.7	7.8	84.6	15.7	1
UGWT 500-01	5000	78.7	80.7	7.8	88.5	15.7	1
UGWT 600-01	6000	84.6	82.6	7.9	90.5	15.7	1



SINTEX UNDERGROUND WATER TANKS

DURABILITY AND COST-EFFECTIVENESS IN ONE

Underground tanks made from Fiber Reinforced Plastic that can endure earth's pressure and make the tanks strong and more durable.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **100% Virgin Plastic:** For better strength, durability & flexibility
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Rustproof and Leak-proof**
- **Lightweight; easy to transport and install**
- **Non-porous** and does not allow water to get contaminated
- **Impermeable to roots of trees**



RANGE & SPECIFICATIONS

Code No.	Capacity (litres)	Dia. (mm)	Lenght (mm)	Manhole Dia. (mm)
CWUG 1000-01	10000	1830	4310	550
CWUG 1500-021	5000	2340	4310	550
CWUG 2000-02	20000	2340	5520	550
CWUG 2500-02	25000	2340	6740	550
CWUG 3000-02	30000	2340	7950	550
CWUG 3500-02	35000	2340	9160	550
CWUG 4000-02	40000	2340	10380	550
CWUG 4500-02	45000	2340	11590	550
CWUG 5000-02	50000	2340	12800	550



SMC PANEL WATER TANK

EASY TO INSTALL AND ASSEMBLE

Designed for your convenience and safety.

UNMATCHED FEATURES, UNIQUE BENEFITS

- **Up to 10 lakh litres** water storage tank
- **Food Grade Plastic with FDA Approval:** Ensures safety & hygiene of stored water
- **Easy to install** by plumbers and general technicians using conventional tools, can be installed within 4 days
- **Easy to assemble at the site**, and increase or decrease the size as required
- **Easy to dismantle** and shift in case of change in site
- **Weatherproof, waterproof, moisture-proof and rotproof**

RANGE & SPECIFICATIONS

Code No.	Nominal Capacity (Kl)	Length (m)	Width (m)	Height (m)
GS-PT-008-S2	8	2	2	2
GS-PT-010-S2.5	10	2	2	2.5
GS-PT-018-S2	18	3	3	2
GS-PT-022-S2.5	22.5	3	3	2.5
GS-PT-027-S3	27	3	3	3
GS-PT-032-S2	32	4	4	2
GS-PT-040-S2.5	40	4	4	2.5
GS-PT-048-S3	48	4	4	3
GS-PT-050-S2	50	5	5	2
GS-PT-062-S2.5	62.5	5	5	2.5
GS-PT-072-S2.5	72	6	6	2
GS-PT-075-S3	75	5	5	3
GS-PT-090-S2.5	90	6	6	2.5
GS-PT-098-S2	98	7	7	2
GS-PT-108-S3	108	6	6	3
GS-PT-122-S2.5	122.5	7	7	2.5
GS-PT-128-S2	128	8	8	2
GS-PT-147-S3	147	7	7	3
GS-PT-160-S2.5	160	8	8	2.5
GS-PT-162-S2	162	9	9	2
GS-PT-192-S3	192	8	8	3
GS-PT-200-S2	200	10	10	2
GS-PT-202-S2.5	202.5	9	9	2.5
GS-PT-242-S2	242	11	11	2

RANGE & SPECIFICATIONS

Code No.	Nominal Capacity (Kl)	Length (m)	Width (m)	Height (m)
GS-PT-243-S3	243	9	9	3
GS-PT-250-S2.5	250	10	10	2.5
GS-PT-288-S2	288	12	12	2
GS-PT-300-S2	300	10	10	3
GS-PT-302-S2.5	302.5	11	11	2.5
GS-PT-338-S2	338	13	13	2
GS-PT-360-S2.5	360	12	12	2.5
GS-PT-363-S3	363	11	11	3
GS-PT-422-S2.5	422	13	13	2.5
GS-PT-432-S3	432	12	12	3
GS-PT-450-S2	450	15	15	2
GS-PT-490-S2.5	490	14	14	2.5
GS-PT-507-S3	507	13	13	3
GS-PT-512-S2	512	16	16	2
GS-PT-562-S2.5	562.5	15	15	2.5
GS-PT-588-S3	588	14	14	3
GS-PT-640-S2.5	640	16	16	2.5
GS-PT-675-S3	675	15	15	3
GS-PT-768-S3	768	16	16	3
GS-PT-867-S3	867	17	17	3
GS-PT-972-S3	972	18	18	3
GS-PT-1083-S3	1083	19	19	3
GS-PT-1200-S3	1200	20	20	3



FOOD GRADE PLASTIC



WEATHERPROOF



ROTPROOF



EASY TO INSTALL

Series GS-PT SMC Panel Tanks

WATER STORAGE SOLUTIONS



SINTEX-BAPL LIMITED

Ground Floor, Kalasagar Mall, Opp. Saibaba Temple,
Sattadhar, Ahmedabad - 380061, Gujarat, India.
Ph.: +91-79 27403500 | Toll-free no.: 1800 121 2764
Email: support@sintex.co.in | www.sintexplastics.com

