

DURAGRES
Timeless Elegance

800x1600mm

UNIT-3 FOR NORTH, EAST & WEST

JUNE 2021

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY



**GLAZED
VITRIFIED TILES**

ENORME COLLECTION

ENORME COLLECTION

800x
1600mm

HIGH GLOSS / FULL POLISH / CARVING

PACKAGING

TILES PER CARTON
2 PIECES


WEIGHT PER CARTON
53.00 KGS

THICKNESS
9.00 MM

COVERAGE ARE PER CARTON
2.56 SQ.MTR / 27.555 SQ.FT

INDEX

ENORME EON LUCIDO ARENADO GREY DARK	04
ENORME LUCIDO EMPERADOR BROWN	05
ENORME EON LUCIDO MARS MARCO POLO	06
ENORME LUCIDO NIGHT NERO	07
ENORME LUCIDO SWISS ONYX	08
ENORME AFYON GREY FP	09
ENORME EON ANTELAO CREMA FP	10
ENORME EON ANTELAO BEIGE FP	11
ENORME EON ARENADO CREMA FP	12
ENORME ARMANI GREY FP	13
ENORME ATLAS CREMA FP	14
ENORME BELICE GRIS FP	15
ENORME BOTTOCHINO FP	16
ENORME BRECCIA GOLD FP	17
ENORME CAMUS BEIGE FP	18
ENORME DYNA GOLD FP	19
ENORME FAWN BEIGE MIRROR A FP	20
ENORME FAWN BEIGE MIRROR B FP	20
ENORME NOCHE TRAVERTINE FP	21
ENORME EON ROSABELA GREY FP	22
ENORME MARMI STATUARIO FP	23
ENORME SPIDER BRONZE FP	24
ENORME STATUARIO FP	25
ENORME IMPRESSION ATLAS CREMA	26
ENORME IMPRESSION ARIA CALACATTA	27
ENORME IMPRESSION CAMUS BEIGE	28
ENORME IMPRESSION EASYWOOD WENGE	29
ENORME IMPRESSION TREVISO GREY	30
ENORME IMPRESSION LYCRA BROWN	31
ENORME IMPRESSION LIVORNO BEIGE CB	32
ENORME IMPRESSION LIVORNO CEMENTO CB	33
ENORME IMPRESSION LIVORNO GREY CB	34
ENORME IMPRESSION LIVORNO NERO CB	35
ENORME IMPRESSION LIVORNO BROWN CB	36



Feel THE SURFACE



**STAIN
RESISTANT**



**EASY TO
CLEAN**



**FROST
RESISTANT**



**EASY TO
LAY**




**RESISTANT
TO ACID**


800 x 1600 MM

HIGH GLOSS

SOMANY⁷
DURAGRES



ENORME EON LUCIDO ARENADO GREY DARK
Lucido, 800x1600mm




V2 ✨ 🖐️ 👤

800 x 1600 MM


HIGH GLOSS

SOMANY⁷
DURAGRES



ENORME LUCIDO EMPERADOR BROWN

Lucido, 800x1600mm




V2 ✨ 🧤 🧴

800 x 1600 MM





HIGH GLOSS

SOMANY⁷
DURAGRES



ENORME EON LUCIDO MARS MARCO POLO


Lucido, 800x1600mm



800 x 1600 MM





HIGH GLOSS

SOMANY⁷
DURAGRES



ENORME LUCIDO NIGHT NERO

Lucido, 800x1600mm




V3 ✨ 🖐️ 🧴


800 x 1600 MM

HIGH GLOSS

SOMANY⁷
DURAGRES



ENORME LUCIDO SWISS ONYX
Lucido, 800x1600mm




800 x 1600 MM

FULL POLISH

SOMANY[®]
DURAGRES



ENORME AFYON GREY FP
Full Polish, 800x1600mm



V4 ✨ 🧤 🧴

800 x 1600 MM

FULL POLISH

SOMANY[®]
DURAGRES



ENORME EON ANTELAO CREMA FP
Full Polish, 800x1600mm



V2 ✨ 🧤 🧤

800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME EON ANTELAO BEIGE FP
Full Polish, 800x1600mm



V2 ✨ 🧤 🧤

800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME EON ARENADO CREMA FP
Full Polish, 800x1600mm



800 x 1600 MM

FULL POLISH

SOMANY[®]
DURAGRES



ENORME ARMANI GREY FP
Full Polish, 800x1600mm





V3 ✨ 🧤 🧤

800 x 1600 MM

FULL POLISH



ENORME ATLAS CREMA FP
Full Polish, 800x1600mm



V2 ✨ 🧤 🧴

800 x 1600 MM


FULL POLISH

SOMANY⁷
DURAGRES



ENORME BELICE GRIS FP

Full Polish, 800x1600mm



V3 ✨ 🧤 🧴

800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME BOTTOCHINO FP
Full Polish, 800x1600mm



V2 ✨ 🧤 🧴


800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME BRECCIA GOLD FP
Full Polish, 800x1600mm



V3 ✨ 🧤 🧴

800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME CAMUS BEIGE FP

Full Polish, 800x1600mm



V2 ✨ 🧤 🧤

800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME DYNA GOLD FP
Full Polish, 800x1600mm



V2 ✨ 🧤 🧴


800 x 1600 MM

FULL POLISH

SOMANY[®]
DURAGRES



ENORME FAWN BEIGE MIRROR A FP
ENORME FAWN BEIGE MIRROR B FP
Full Polish, 800x1600mm



800 x 1600 MM

FULL POLISH

SOMANY⁷
DURAGRES



ENORME NOCHE TRAVERTINE FP
Full Polish, 800x1600mm



800 x 1600 MM





FULL POLISH

SOMANY⁷
DURAGRES



ENORME EON ROSABELA GREY FP


Full Polish, 800x1600mm



800 x 1600 MM


FULL POLISH

SOMANY⁷
DURAGRES



ENORME MARMI STATUARIO FP

Full Polish, 800x1600mm




V3 ✨ 🧤 🧤

800 x 1600 MM

FULL POLISH



SOMANY⁷
DURAGRES

NEW



ENORME SPIDER BRONZE FP

Full Polish, 800x1600mm




V4 ✨ 🖐️ 👤

800 x 1600 MM


FULL POLISH

SOMANY⁷
DURAGRES



ENORME STATUARIO FP

Full Polish, 800x1600mm




V4 ✨ 🧤 🧤

800 x 1600 MM

CARVING



SOMANY[®]
DURAGRES

NEW



ENORME IMPRESSION ATLAS CREMA

Matt+Carving, 800x1600mm



V2   

800 x 1600 MM

CARVING

SOMANY[®]
DURAGRES

NEW



ENORME IMPRESSION ARIA CALACATTA

Matt+Carving, 800x1600mm



V4



800 x 1600 MM

CARVING




SOMANY⁷
DURAGRES

NEW



ENORME IMPRESSION CAMUS BEIGE

Matt+Carving, 800x1600mm



V2   

800 x 1600 MM

CARVING

NEW



ENORME IMPRESSION EASYWOOD WENGE
Rustic+Carving, 800x1600mm



V4   

800 x 1600 MM

CARVING

SOMANY⁷
DURAGRES

NEW



ENORME IMPRESSION TREVISO GREY
Matt+Carving, 800x1600mm



V4   

800 x 1600 MM

CARVING



SOMANY⁷
DURAGRES

NEW



ENORME IMPRESSION LYCRA BROWN

Matt+Carving, 800x1600mm



V2   

800 x 1600 MM

CARVING

SOMANY⁷
DURAGRES

NEW



COLOUR BODY

ENORME IMPRESSION LIVORNO BEIGE CB

Rustic+Carving, 800x1600mm




800 x 1600 MM

CARVING

SOMANY⁷
DURAGRES

NEW



COLOUR BODY

ENORME IMPRESSION LIVORNO CEMENTO CB

Rustic+Carving, 800x1600mm




800 x 1600 MM

CARVING

SOMANY⁷
DURAGRES


NEW



COLOUR BODY

ENORME IMPRESSION LIVORNO GREY CB

Rustic+Carving, 800x1600mm




800 x 1600 MM

CARVING

SOMANY⁷
DURAGRES


NEW



COLOUR BODY

ENORME IMPRESSION LIVORNO NERO CB

Rustic+Carving, 800x1600mm




800 x 1600 MM

CARVING

SOMANY⁷
DURAGRES

NEW



COLOUR BODY

ENORME IMPRESSION LIVORNO BROWN CB

Rustic+Carving, 800x1600mm



800 x 1600 MM

SOMANY
DURAGRES

Technical Specification

PACKING DETAIL FOR 800x1600MM GVT TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
800x1600mm	9.0	53.00	2	2.56sq.mtr. / 27.55sq.ft.

TECHNICAL SPECIFICATION FOR 800x1600MM GVT TILES

Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group B1b	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.50%	± 0.10%	
iv) Rectangularity	± 0.10%	± 0.60%	± 0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
b) Edge curvature (%) (max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av. 0.08<E ≤ 3 %, Individual 3.3 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.5 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Av 30, Individual 27 min	Av 35, Individual 32 min	Avg.35	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1100	1300	>1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min 5 (for VC & Rustic), Min 3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class V (for VC & Rustic), Class III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	7 X 10 ⁻⁶ K ⁻¹ max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazeing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	IS 13630 Part 14/ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class 1	Min Class 3	Min Class-1(For Matt), Class-2(for polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value	Min Class AA	



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic

