

196x1200MM
300x1200MM-WALL CONCEPTS

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY

DURAGRES
Timeless Elegance



Choice of the Superstar
Salman Khan

UNIT-1
ALL INDIA

Planks

The
LUXURY
Collection

Naturally inspired

Emulating finest of woods and their characteristics to replenish it with natural richness. Filled with fibers and knots with magnificent designs is all what we have with our definite concern of conserving nature's beauty.



Planks



DAZZLE 196X1200MM

SOMANY

STRIO DAZZLE PECAN WOOD NATURAL

V4

STRIO DAZZLE MOHAWK WOOD TEAK

V3

D A Z Z L E

Planks



MATT 196x1200MM

SOMANY

STRIO AKONA WOOD ROBBLE



V4

STRIO AKIO WOOD ROBBLE



V4

EXOTIC WOOD

Planks


EXOTIC WOOD

STRIO ARGENT WOOD ASH



V4

STRIO BENZ WOOD ROBBLE



V4

MATT 196x1200MM

SOMANY

STRIO BURL WOOD BRICH



V3

STRIO BURL WOOD TEAK



V4

EXOTIC WOOD

Planks



MATT 196x1200MM

SOMANY

STRIO ELLEWOOD WENGE



V3

EXOTIC WOOD

Planks

EXOTIC WOOD

09

STRIO HECTOR WOOD TEAK



V3

MATT 196x1200MM

SOMANY

STRIO KALIDA WOOD BROWN



V3

EXOTIC WOOD

Planks




MATT 196x1200MM

SOMANY

STRIO MOGANO WOOD TEAK

V3

STRIO MOGANO WOOD MAHOGANY

V3

EXOTIC WOOD

Planks



MATT 196x1200MM

SOMANY

STRIO NADIA WOOD MAHOGANY

V2

STRIO PYRUS WOOD TEAK

V4

EXOTIC WOOD

Planks



MATT 196x1200MM

SOMANY

STRIO ROVERE WOOD ROBBLE

V4

STRIO ROVERE WOOD TEAK


V4

EXOTIC WOOD

Planks

EXOTIC WOOD

STRIO ROVERE WOOD NATURAL



V4

STRIO SALIS WOOD GRIS



V4

MATT 196x1200MM


SOMANY

STRIO SALIS WOOD ROBBLE



V4

STRIO SALIS WOOD WANGE



V4

EXOTIC WOOD

Planks



MATT 196x1200MM

SOMANY

STRIO VERANO WOOD TEAK



V3

EXOTIC WOOD

Planks



MATT 196x1200MM

SOMANY

STRIO LARICE WOOD ROBBLE



V3

VINTAGE WOOD

Planks

N A T U R A L R O C K



STRIO TRAVERTINO CREMA



V4 HDR

MATT HDR ROCK 196X1200MM

SOMANY

STRIO TRAVERTINO GREY



V4 HDR

STRIO TRAVERTINO BEIGE



V4 HDR

N A T U R A L R O C K

Planks



MATT 196x1200MM

SOMANY

STRIO TREND WOOD



V4




MODERN WOOD

Planks

R U S T I C

BELLA AVORA



V1

BELLA AVORA BEIGE



V1

BELLA AVORA MOKA



RUSTIC 300X1200MM

SOMANY

BELLA GRANITI



V4

BELLA GRANITI LIGHT



V4

BELLA GRANITI DARK



RUSTIC

Planks



RUSTIC 300X1200MM

SOMANY

BELLA VERSO

V1

BELLA VERSO DECOR



V2

BELLA VERSO LIGHT



V2

BELLA VERSO DARK

RUSTIC

Planks

M A T T

BELLA FOGLIE BLU



V1

BELLA FOGLIE BLU DECOR 01



V1

BELLA FOGLIE BLU LIGHT



V1

BELLA FOGLIE BLU DARK

MATT 300X1200MM

BELLA SIMENTA

V1

BELLA SIMENTA DECOR



V1

BELLA SIMENTA LIGHT



V1

BELLA SIMENTA DARK

**SOMANY**

Planks



MATT 300X1200MM

SOMANY

BELLA ASCOT WOOD TEAK



V3

MATT

Planks

MART

BELLA OXFORD WOOD TEAK



V4

MATT 300X1200MM

SOMANY

BELLA VIENA WOOD ROBBLE



V4

MATT

Planks



MATT 300X1200MM

SOMANY

BELLA MOLVENA WOOD TEAK

V4

MATT

Planks



MATT 300X1200MM

SOMANY

BELLA ONTANO WOOD TEAK



V4

MATT

Planks

M A T T

BELLA TORINO WOOD MAHOGANY



V3

PACKAGING DETAILS FOR GLAZED VITRIFIED TILES 196X1200MM, 300X1200MM

Nominal Size (mm)	Avg. Wt. (kg) per carton	No. of tiles per carton	Coverage Area per carton
196x1200MM	19	4	0.94 sq.mt./10.12sq.ft.
300x1200MM	28	4	1.44 sq.mt./15.5sq.ft.

TECHNICAL SPECIFICATION FOR GLAZED VITRIFIED TILES 196X1200MM, 300X1200MM

CHARACTERISTICS	Requirement as per IS 15622 :2017 E ≤ 0.08% Group B I a	Requirement as per ISO 13006 ≤ 0.5% Group B I a	OUR VALUE	TEST METHOD
Dimension & Surface Quality				
Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness	± 5.0%	± 5.0%	± 4.0%	
Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
Rectangularity	± 0.10%	± 0.30%	± 0.10%	
Surface Flatness				
Center curvature (%) (max.Deviation)	± 0.50 %	±0.40%	± 0.2 %	
Edge curvature (%) (max.Deviation)	± 0.50 %	± 0.40%	± 0.2 %	
Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.40%	± 0.2 %	
Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
Physical Properties				
Water Absorption	Av ≤ 0.08%, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Av 0.08%	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm ²]	Av 35, Individual 32 min	Av 35, Individual 32 min	Min-38	IS 13630 Part 6/ ISO 10545-4
Breaking Strength in N	1300	1300	Min 1500	
Moisture Expansion in mm/m	0.02	Test Method available	Test Method not available	IS 13630 Part 3/ ISO-10545-10
Scratch Hardness of surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13
Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report Abrasion Class & Cycle passed	Class-5(for VC), Class-4(for Non VC), Class-3(for Polished),	IS 13630 Part 11/ ISO 10545-7
Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ max	Test Method available	5 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistance	10 cycle min	Test Method available	10 cycle passed	IS 13630 Part 5/ ISO-10545-9
Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ ISO 10545-11
Bulk Density (gm/cc)	2.2	N.A.	2.3	IS 13630 Part 2
Coefficient of Friction	declare value	Manufacturer to declare value	Depends upon Glazed surface	IS 13545-17
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ ISO 10545-12
Chemical Resistance (glazed Tiles)				
Stain Resistance	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8/ & ISO 10545-14
Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

AUG-2020

SOMANY**Somany Ceramics Limited** : Noida: F-36, Sector-6; Ph.: 0120-4627900.**Ahmedabad:** Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-27661103.**Registered office:** 2, Red Cross Place, Kolkata-100 001**www.somanyceramics.com** | e-mail **marketing@somanyceramics.com****Toll Free No. 1800-103-0004** (Timing-10:00am to 6:30pm; Mon-Fri)Visit us at:
www.somanyceramics.comFind us at:
www.facebook.com/SomanyCeramicFind us at:
www.twitter.com/SomanyCeramic