



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.
Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



MARVELA / CAT / FEB 2021

UNIT-2
FOR ALL INDIA

MARVELA
FLORTUFF

Choice of the Superstar
Salman Khan

600x1200mm
800x800mm | 600x600mm

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY

I N D E X

04
page no.

600 x 1200MM

HD FULL POLISH
HD MATT VC

38
page no.

800 x 800MM

HD FULL POLISH
HD MATT VC

54
page no.

600 x 600MM

HD FULL POLISH

Natural marvels for a wonderful abode

The new range of "Marvela" tiles by Somany is a fusion of elegance & grace. Inspired from Indian, Turkish & Italian marble which offers plethora of designs, that can be marveled into natural masterpieces.

Available in various sizes of 600x1200mm, 800x800mm & 600x600mm, these are high definition digital polished tiles that provide gleaming mirror like finish. Complimented with designs that caters to both wall & floor, Marvela is also the toughest tile in its category.

With a wide range of textures, finishes, designs & sizes, Marvela is here to add absolute mix of sophistication & opulence lending a sheer bliss to ones's abode.

MARVELA 
FLORTUFF

600 x 1200MM
HD FULL POLISH
HD MATT VC 



WALL TILES



FLOOR TILES



HIGH DEFINITION



NANO TECH



INTERIOR



FULL POLISHED



RANDOM PRINT



MATT FINISH

04

BON ARGOS DECORE FP
BON ARGOS GREY FP | BON ARGOS GREY LIGHT FP




BON ARGOS BEIGE FP



BON ARGOS DECORE FP



BON ARGOS GREY FP



BON ARGOS GREY LIGHT FP




BON ARGOS NATURAL FP






BON IRISH GREY FP



BON IRISH DECOR FP




BON IRISH NERO FP



BON PORTORO SNOW FP



BON PORTORO DECOR FP



BON PORTORO NERO FP

600x1200mm | HD FULL POLISH FINISH

estilo
COLLECTION

- WALL TILES
- FLOOR TILES
- HD
- INTERIOR
- FULL POLISHED
- RANDOM PRINT
- NANO TECH

MARVELA
FLORITUFF





BON SATUARIO DECOR FP



BON SATUARIO FP



BON ADULA CREMA FP




BON AMAZONA FP



BON BOTTICHINO FP





BON CRYSTALO-A FP
BON CRYSTALO-B FP



BON CELESTIAL NATURAL FP



BON CELESTIAL BEIGE FP



BON CELESTIAL BROWN FP



BON CELESTIAL FP

600x1200mm | HD FULL POLISH FINISH





BON DAINO FP




BON OCEAN ARC-A FP
BON OCEAN ARC-B FP




BON PULPIS COPPER FP



BON PULPIS VERDE FP



BON PULPIS NATURAL FP




BON SATUARIO SNOW FP



BON VICTOR FP



BON TOSCANA CREMA FP



BON WHITE FP



600x1200mm | HD MATT FINISH





BON ARMONIA CREMA



BON ARMONIA BROWN DECOR



BON ARMONIA BROWN DECOR



BON ARAL NERO



BON ARAL DECOR



BON DRESDEN BIANCO



BON DRESDEN DECOR



BON DRESDEN BEIGE



BON EVIAN LIGHT



BON EVIAN DECOR



BON EVIAN DARK



600x1200mm | HD MATT FINISH

estilo
COLLECTION





BON FRAGUA GREY LIGHT V2



BON FRAGUA DECOR V1



BON FRAGUA GREY V2



BON HANNOVER CREMA V3



BON HANNOVER DECOR V3



BON HANNOVER BROWN V3

600x1200mm | HD MATT FINISH

estilo
COLLECTION




MARVELA
FLORITUFF



BON KASSEL SNOW



BON KASSEL WHITE



BON KASSEL GREY



BON KASSEL WHITE
BON KASSEL GREY



BON NUBE GREY DARK VC



BON PASTORAL GREY DARK VC



BON NUBE GREY LIGHT VC



BON PASTORAL GREY LIGHT VC



BON PASTORAL BROWN VC



BON PIERRE CREMA VC





BON STARK WOOD VC     



BON ENIGMA WOOD VC     



BON ENIGMA WOOD NATURAL    



BON ENIGMA WOOD WENGE    

MARVELA
FLORTUFF

800 x 800MM
HD FULL POLISH
HD MATT VC 



WALL TILES



FLOOR TILES



HIGH DEFINITION



NANO TECH



INTERIOR



FULL POLISHED



RANDOM PRINT



MATT FINISH



ROYALE ALLIER OLIVE FP



ROYALE ALLIER NATURAL FP



ROYALE AMALGA GREY FP



ROYALE BENEVO FP




ROYALE BRECCIA BEIGE FP



ROYALE BOTTICHINO FP



ROYALE CALINA CREMA FP



ROYALE CLAIRE GALAXY FP






ROYALE DAINO FP V2



ROYALE EVOQUE NATURAL FP V4



ROYALE NUTZEN FP V2



ROYALE SATUARIO FP V4



ROYALE LASA TRAVERTO FP V4



ROYALE MELANGE IVORY FP V2



ROYALE SIMPACIA BEIGE FP V2



ROYALE SCHMUTZ NATURAL FP V2

800x800mm | HD FULL POLISH FINISH





ROYALE THAMES WOOD FP



ROYALE VOYANCE NATURAL FP



ROYALE VOYANCE GRIS FP




ROYALE VERSO CREMA FP



ROYALE VERSO GRIS FP



ROYALE WONDER BROWN FP



ROYALE WHITE FP





ROYALE ANNATA WOOD NATURAL VC    



ROYALE ANNATA WOOD WENGE VC    




ROYALE ESCORIAL BLANCO VC    



ROYALE BRONCO BLANCO    



ROYALE BRONCO CHOKO    



ROYALE CLARIDDO BIANCO    



ROYALE CLARIDDO MOKA    

800x800mm | HD MATT FINISH





ROYALE CONIFERO WOOD NATURAL



ROYALE CONIFERO WOOD NERO



ROYALE CONIFERO WOOD TEAK




ROYALE CONIFERO WOOD WENGE




ROYALE GLANZA CREMA




600 x 600MM
HD FULL POLISH







BOOK MATCH



NUEVA APERTA SNOW FP



BOOK MATCH




NUEVA COSMIC NATURAL FP




BOOK MATCH




NUEVA MADOX OLIVE FP



BOOK MATCH



NUEVA STELLAR BLACK FP



BOOK MATCH




NUEVA TEXEL BROWN FP



BOOK MATCH



NUEVA TRANSCEND BEIGE FP



NUEVA BALTIC BLACK FP



NUEVA BRECCIA BEIGE FP



NUEVA BRECCIA BROWN FP



NUEVA BOTTICHI NO CREMA FP



NUEVA CANADIAN GOLD FP



NUEVA CIELO WOOD FP




600x600mm | HD POLISH FINISH






NUEVA DAINO FP



NUEVA EMPERADOR GOLD FP



NUEVA EUADE ONYX FP



NUEVA EVOQUE GREY DARK FP



NUEVA EVOQUE GREY LIGHT FP



NUEVA GRECIA CREMA FP




NUEVA HUDSON BEIGE FP



NUEVA KELUT NATURAL FP



NUEVA LASA TRAVERTO FP



NUEVA NILE BROWN FP




NUEVA ONIXZER FP




NUEVA ONYX FP





NUEVA OPALO FP




NUEVA PORTORO GOLD FP



NUEVA RALLATO FP



NUEVA SAVOY NATURAL FP



NUEVA SATUARIO FP




NUEVA SIENA FP



NUEVA THAMES WOOD FP



NUEVA TOSCANA CREMA FP



NUEVA WHITE FP



NUEVA WOODSTOCK FP




NUEVA ZODIAC WOOD FP


DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.


Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.




V1 Uniform Appearance



V2 Slight Variation



V3 Moderate Variation



V4 Substantial Variation

The classification is as follow:

V1 Minimal Variation **V3** Random Variation **V2** Slight Variation **V4** Substantial Variation



High Definition Image


While laying the tiles please follow the arrow on the back of the tiles. For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder




VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Natural Granite



Marble



Traditional Tile




VC Shield Tile



Polished Vitrified Tile

Patent Certificate for
“High Abrasion Resistant Glaze”
applied on VC Shield Tiles



PACKAGING DETAIL				
Nominal Size	Thickness (mm)	Av. Wt. per carton (Kg)	No. of Tiles per carton	Coverage area per carton
600X1200 mm	10.4(+/-0.2)	33.50~34.00 Kgs.	2	1.44 Sq.Mt/15.50 Sq.Ft.
800X800 mm	10.4(+/-0.2)	29.70~30.20 kgs	2	1.28 Sq.Mt/13.78 Sq.Ft.
600X600 mm	9.3(+/-0.2)	29.70~30.20 kgs	4	1.44 Sq.Mt/15.50 Sq.Ft.

Glazed Floor Tiles (HD Full Polished / Matt Finish) (Unit II)							
Characteristics		Requirement As Per IS 15622 :2017 Table-07 3 < E ≤ 6 Group BIIa	Requirement as per ISO 13006 Annex-J, 3 < E ≤ 6 Group BIIa	Our Value	Test Method		
A	Dimension & Surface Quality	Rectified			EN	IS 13630	ISO 10545
I	Length & Width	±0.10%	±0.3%	± 0.10%	98	Part 1	2
ii	Thickness	± 5.0 %	± 5.0%	± 4.0%			
iii	Straightness of Side	± 0.10%	±0.3%	± 0.10%			
iv	Rectangularity	± 0.10%	±0.3%	± 0.10%			
v	Surface Flatness						
a	Center curvature (%) (max.Deviation)	± 0.5 %	±0.4%	± 0.20%			
b	Edge curvature (%) (max.Deviation)	± 0.5 %	±0.4%	± 0.20%			
c	Corner warpage (%) (max.Deviation)	± 0.5 %	±0.4%	± 0.2%			
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects			
B	Physical Properties						
I	Water Absorption (%)	Average 3 <E≤6, Individual Maximum 6.2	3<E≤ 6, Individual max 6.5	3 to 4	99	Part 2	3
ii	Modulus of Rupture [N/mm2]	Avg 22 Individual 20 min	Av 22, Individual 20 min	Min 28	100	Part 6	4
iii	Breaking Strength in N	Min.1000	Not less than 1000	Min. 1100	155	Part 3	10
iv	Moisture Expansion in mm/m	0.03 mm/M max	N.A	0.02	101	Part 13	
v	Scratch Hardness of surface (Mohs)	Min 4	N.A	6 (commercial), 5 (Home) polished 3	154	Part 12	6
vi	Resistance to Deep Abrasion of unglazed tiles	N.A	N.A	N.A	154	Part 11	7
vii	Resistance to Abrasion of glazed tiles(Class I to V)	Commercial application Min IV, Home Application Min II	Report Abrasion Class & Cycle Passed	Depends on Glaze surface, Glossy polish PEI III,	103	Part 4	8
viii	Coefficient of linear thermal expansion from embiant temperature to 100 0 C	9 X10 ⁻⁶ K ⁻¹ max	Test Method Available	7 X10 ⁻⁶ K ⁻¹ max	104	Part 5	9
ix	Thermal Shock Resistance	10 cycle min	Test Method Available	Passed 10 Cycle	104	Part 9	11
x	Crazing Resistance	4 cycle @ 7.5bar min	Required	Passed 4 Cycle	202	Part 10	12
xi	Forst resistance	Required , if agreed	Test Method Available	Resistance	99	Part 2	
xii	Bulk Density	N.A	N.A	N.A		Part 14	5
xiii	Impact resistance	N.A	Test Method Available	N.A			
C	Chemical Resistance (glazed Tiles)						
I	Stain Resistance	Min Class-1	Min Class-3	Min Class-1 & 2 For Polish	Part 8	13 / 14	
ii	Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA			
iii	Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer to state classification	Min Class AA			

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order. 'Technical Specifications for Somany Wall & Floor Tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.